

MUKHRINO FIELD STATION BIBLIOGRAPHY

(English version, Russian titles translated in English and all Cyrillic text transliterated,
version 2.03.2017)

Оглавление

ALPHABETIC ORDER.....	1
THEMATIC ORDER.....	10
Review papers about MFS, leaflets and booklets	10
Botany, bryology, vegetation	11
Net primary production and decomposition.....	12
Dendrochronology.....	13
Zoology, entomology, ornithology	13
Dissolved and volatile organic carbon (DOC & VOC).....	13
GHG emissions.....	14
Hydrology	15
Mycology and microbiology	15
Physico-chemical peat properties	17
Stratigraphy of peat.....	18

ALPHABETIC ORDER

1. Alekseychik P., Lappalainen H., Petäjä T., Zaitseva N., Heimann M., Laurila T., Lihavainen H., Eija E., Arshinov M., Shevchenko V., Makshtas A., Dubtsov S., Mikhailov E., Lapshina E., Kirpotin S., Kurbatova Y., Ding A., Guo H., Park S., Lavric J., Reum F., Panov A., Prokushkin A., Kulmala M. Ground station network in the Boreal-Arctic Pan-Eurasian region: an overview [Cet' nazemnykh stantsiy v Boreal'no-Arkticheskom Pan-Evraziyskom regione: obzor] // *Geography, environment, sustainability*. 2016. V. 9. № 2. P. 75–88. [English]
2. Amon L. Postglacial palaeoclimatic and -botanical dynamics at the tundra-taiga border-zone of West Siberia, Russia [Dinamika rastitel'nosti i paleoklimata v poslednikov'e na granitse tundry i taygi v Zapadnoy Sibiri]. INTERACT TA project report, 2014. [English]
3. Andersen R. Dissolved and volatile organic carbon compounds generated by arctic peatland: Arctic Research blog [Rastvorennyy i letuchiy uglerod v Arkticheskikh bolotakh: blog o polevoy rabote] // URL: <https://arcticresearch.wordpress.com/category/blogs-from-the-field/davoccap-dissolved-and-volatile-organic-carbon-compounds-generated-by-arctic-peatlands/page/3>, 2012. [English]
4. Belova S.E., Oshkin I.Yu., Glagolev M.V., Lapshina E.D., Maksyutov Sh.Sh., Dedysh S.N. Metanotrophic bacteria in mud seeps in floodplains of Northern rivers [Metanotrofnye bakterii gryazevykh mikrovulkanov v poymakh severnykh rek] // *Mikrobiologiya*. 2013. V. 82. № 6. P. 732–740. [Russian]
5. Blanchet G., Guillet S., Calliari B., Corona C., Edvardsson J., Stoffel M., Bragazza L. Impacts of regional climatic fluctuations on radial growth of Siberian and Scots pine at Mukhrino mire (central-western Siberia) [Vozdeystvie regional'nykh klimaticheskikh kolebaniy na radial'nyy prirost drevesiny kedra i sosny v bolote Mukhrino (tsentral'naya chast' Zapadnoy Sibiri)] // *Science of The Total Environment*. 2017. V. 574. P. 1209–1216. [English]

6. Bleuten W., Filippov I.V. Hydrology of mire ecosystems in central West Siberia: the Mukhrino Field Station [Gidrologiya bolotnykh ekosistem tsentral'noy chasti Zapadnoy Sibiri: polevaya stantsiya «Mukhrino»] // Environmental dynamics and global climate change. 2008. V. S1. P. 208–224. [English]
7. Bragazza L. Effect of vegetation cover on dissolved organic carbon in peatlands [Vliyanie rastitel'nogo pokrova na rastvorennyy organicheskiy uglerod v torfyanykh bolotakh]. INTERACT TA project report, 2014. [English]
8. Cavers S. Genomics of Adaptive Variation in Pines [Genomika adaptivnoy variatsii sosny]. INTERACT TA project report, 2012. [English]
9. Cavers S. Scots pine genetics – from Scotland to Russia: Arctic Research blog [Genetika sosny obyknovennoy – iz Shotlandii v Rossiyu: blog o polevoy rabote] // URL: <https://arcticresearch.wordpress.com/category/blogs-from-the-field/scots-pine-genetics-from-scotland-to-russia>, 2012. [English]
10. Davidian E.M., Gavrilyuk A.V. An annotated check-list of Aphidiid-wasp fauna (Hymenoptera, Aphidiidae) of Western Siberia [Annotirovannyi spisok vidov fauny os (Hymenoptera, Aphidiidae) v Zapadnoy Sibiri] // Entmol. Rev. 2014. V. 94. № 6. P. 892–913. [English]
11. Dick J. Testing methodologies to monitor the ecosystem services and establish large forest dynamics plots at two Eurasian Boreal forest sites [Testirovanie metodologii monitoringa ekosistemnykh funktsiy i zakladka bol'shikh monitoringovykh ploshchadok na dvukh uchastkakh Boreal'nogo lesa]. INTERACT TA project report, 2012. [English]
12. Dudkin D.V., Zarov E.A., Zmanovskaya A.S. The influence of botanical species and the degree of peat decomposition on the structure of humic acids, obtained by the mechanochemical method [Vliyanie botanicheskogo sostava i stepeni razlozheniya torfa na sostav guminovykh kislot, poluchennykh mekhanokhimicheskim sposobom] // Khimiya rastitel'nogo syr'ya. 2016. V. 2. P. 109–116. [Russian]
13. Dudkin D.V., Zarov E.A., Zmanovskaya A.S., Fedyaeva I.M. The influence of botanical composition and decomposition degree on the yield of humic acids from peat [Vliyanie botanicheskogo sostava i stepeni razlozheniya torfa na vykhod guminovykh kislot] // Vestnik Yugorskogo gosudarstvennogo universiteta. 2014. V. 3. № 34. P. 32–37. [Russian]
14. Duinen G.-J. van. Changes in the invertebrate community along natural and anthropogenic gradients in mires [Izmeneniya soobshchestva bespozvonochnykh v svyazi s estestvennym i antropogennym gradientom v bolotakh]. INTERACT TA project report, 2012. [English]
15. Edvardsson J., Stoffel M., Corona C., Bragazza L., Leuschner H.H., Charman D.J., Helama S. Subfossil peatland trees as proxies for Holocene palaeohydrology and palaeoclimate [Pogrebennye torfyanye derev'ya dlya rekonstruktsii paleogidrologii i paleoklimata v Golotsene] // Earth-Science Reviews. 2016. V. 163. P. 118–140. [English]
16. Elger K., Opel T., Topp-Jorgensen E., Rasch M. (Eds.) INTERACT Station catalogue. Denmark: DCE - Danish Centre for Environment and Energy, Aarhus University, 2012. 192 s. [English]
17. Fiałkiewicz-Kozieł B., Smieja-Król B., Frontasyeva M., Słowiński M., Marcisz K., Lapshina E., Gilbert D., Buttler A., Jassey V.E.J., Kaliszán K., Laggoun-Défarge F., Kołaczek P., Lamentowicz M. Anthropogenic- and natural sources of dust in peatland during the Anthropocene [Antropogennye i prirodnye istochniki pyli v torfyanykh bolotakh v techenie Antropogena] // Sci Rep. 2016. V. 6. [English]
18. Filippova N.V. Discomycetes from plant, leaf and sphagnum litter in ombrotrophic bog (West Siberia) [Diskomitsety rastitel'nogo opada verkhovykh bolot (Zapadnaya Sibir')] // Environmental dynamics and global climate change. 2012. V. 3. № 1. P. EDCCr0003. [English]
19. Filippova N.V. Fungal communities of raised bogs in middle taiga zone of Western Siberia: PhD thesis [Soobshchestva gribov verkhovykh bolot sredney taygi Zapadnoy Sibiri. diss. ... kand. biol. nauk.] // Khanty-Mansiysk, 2015. 143 p. [Russian]
20. Filippova N.V. On the communities of fungi of raised bogs in taiga belt of West Siberia. I. Macrofungi [Izuchenie soobshchestv gribov verkhovykh bolot taezhnoy zony Zapadnoy Sibiri. I. Makromitsety] // Mikologiya i fitopatologiya. 2014. V. 48. № 6. P. 386–392. [Russian]
21. Filippova N.V. On the communities of fungi of raised bogs in taiga belt of West Siberia. I. Microfungi on plant litter [Izuchenie soobshchestv gribov verkhovykh bolot taezhnoy zony Zapadnoy Sibiri. II. Mikromitsety na opade bolotnykh rasteniy] // Mikologiya i fitopatologiya. 2015b. V. 49. № 3. P. 164–172. [Russian]

22. Filippova N.V. The fungal community in bogs as determined using direct observation method [Soobshchestva gribov verkhovykh bolot v ramkakh metoda pryamogo nablyudeniya] // Mires of Northern Europe: biodiversity, dynamics, management. International Symposium (Russia, Petrozavodsk, September, 2-5). Abstracts. 2015. P. 86–87. [English]
23. Filippova N.V., Bulyonkova T., Lapshina E.D. Fleshy fungi forays in the vicinities of the YSU Mukhrino field station (Western Siberia) [Marshrutnye issledovaniya makromitsetov v okrestnostyakh statsionara Mukhrino YuGU (Zapadnaya Sibir')] // Environmental dynamics and global climate change. 2015. V. 6. № 1 (11). P. 3–31. [English]
24. Filippova N.V., Bulyonkova T., Lindemann U. New records of two pyrophilous ascomycetes from Siberia: *Pyropyxis rubra* and *Rhodotarzetta rosea* [Novye nakhodki dvukh vidov pirofil'nykh askomitsetov *Pyropyxis rubra* i *Rhodotarzetta rosea* v Sibiri] // *Ascomycete.org*. 2016. V. 8. № 4. P. 119–126. [English]
25. Filippova N.V., Bulyonkova T.M. Fungarium of Yugra State University [Fungariy Yugorskogo gosudarstvennogo universiteta] // *Biologicheskie kollektzii Yugry: sbor, fiksatsiya, khranenie, vvedenie v nauchnyy oborot. Materialy nauchno-metodicheskogo seminara v Muzee Prirody i Cheloveka. Khanty-Mansiysk*, 2016. P. 90–98. [English]
26. Filippova N.V., Bulyonkova T.M. Notes on the ecology of *Ascocoryne turficola* (Ascomycota: Helotiales) in West Siberia [K ekologii Askokorine torfyanoy (Ascomycota: Helotiales) v Zapadnoy Sibiri] // *Environmental dynamics and global climate change*. 2013. V. 4. № 8. P. 1–6. [English]
27. Filippova N.V., Lapshina E.D. Voucher collection of fungi in YSU: value and basics of functioning [Kollektsiya vauchernykh obraztsov gribov YuGU: znachenie i osnovy funktsionirovaniya] // *Biologicheskie kollektzii Yugry: sbor, fiksatsiya, khranenie, vvedenie v nauchnyy oborot. Materialy nauchno-metodicheskogo seminara v Muzee Prirody i Cheloveka. Khanty-Mansiysk*, 2016. P. 73–85. [Russian]
28. Filippova N.V., Mourgues A., Philippe F. Notes on the phenology of fungi in ombrotrophic bog [Fenologicheskie nablyudeniya za gribami verkhovykh bolot] // *Environmental dynamics and global climate change*. 2014. V. 5. № 1. P. 1–14. [English]
29. Filippova N.V., Thormann M. On the phenology of fungi in raised bogs: first year permanent plots monitoring results [Fenologiya gribov verkhovykh bolot: itogi pervogo goda nablyudeniya] // *Bioraznoobrazie i ekologiya gribov i gribopodobnykh organizmov Severnoy Evrazii: materialy vseros. konf. s mezhdunarod. uchastiem. Ekaterinburg, 20-24 aprelya 2015 g.* 2015. P. 302–306. [English]
30. Filippova N.V., Thormann M.N. Communities of larger fungi of ombrotrophic bogs in West Siberia [Soobshchestva makromitsetov verkhovykh bolot v Zapadnoy Sibiri] // *Mires and Peat*. 2014. V. 14. P. 1–22. [English]
31. Filippova N.V., Thormann M.N. The fungal consortium of *Andromeda polifolia* in bog habitats [Gribnoy konsortsiy na Andromede mnogolistnoy v bolotnykh mestoobitaniyakh] // *Mires and Peat*. 2015. V. 16. № 6. P. 1–29. [English]
32. Filippova N.V., Zmitrovich I.V. Wood decay community of raised bogs in West Siberia [Soobshchestva gribov na drevesine verkhovykh bolot (Zapadnaya Sibir')] // *Environmental dynamics and global climate change*. 2013. V. 4. № 7. P. 1–16. [English]
33. Filippova N.V., Zvyagina E.A., Bulyonkova T.M. *Ascocoryne turficola* (Boud.) Korf records from West Siberia [Nakhodki *Ascocoryne turficola* (Boud.) Korf v Zapadnoy Sibiri] // *Fungi*. 2013. V. 6. № 3. P. 26–30. [English]
34. Foereid B. Photodegradation in peat decomposition [Fotodegradatsiya v razlozhenii torfa]. INTERACT TA project report, 2013. [English]
35. Foereid B., Zarov E.A., Filippov I.V., Lapshina E.D. Photo-expose affects subsequent peat decomposition [Effekt fotoekspozitsii na razlozhenie torfa] // *Proceedings of the fourth international field symposium West Siberian Peatlands and Carbon Cycle: Past and Present, Novosibirsk, August 4-17, 2014.* 2014. [English]
36. Francez A.-J. Viral and Bacterial Communities and Interactions in Western Siberian Sphagnum-peatlands [Virusnye i bakterial'nye soobshchestva i ikh vzaimodeystviya v Zapadno-Sibirskikh sfagnovykh bolotakh]. INTERACT TA project report, 2014. [English]
37. Glagolev M., Kleptsova I., Filippov I., Maksyutov S., Machida T. Regional methane emission from West Siberia mire landscapes [Regional'naya emissiya metana iz torfyanikh bolot v Zapadnoy Sibiri] // *Environ. Res. Lett.* 2011a. V. 6. № 4. P. 045214. [English]

38. Glagolev M., Maksyutov S., Oshkin I., Kleptsova I., Dedysh S. Methane emissions from West Siberian mud volcanoes: observations near Khanty-Mansiysk [Emissiya metana iz gryazevykh sipov: nablyudeniya v rayone Khanty-Mansiyska] // AGU Fall Meeting Abstracts. 2011b. V. 1. P. 0826. [English]
39. Glagolev M.V., Sirin A.A., Lapshina E.D., Filippov I.V. Carbonaceous greengouse gases flux from West Siberia wetland ecosystems [Izuchenie potokov uglerodsoderzhashchikh parnikovykh gazov v bolotnykh ekosistemakh Zapadnoy Sibiri] // Vestnik TGPU. 2010. V. 3. № 93. P. 120–127. [Russian]
40. Gowing D. Hydrological niches on a Siberian floodplain [Gidrologicheskie nishi v Sibirskikh poymakh]. INTERACT TA project report, 2013. [English]
41. Gowing D. Hydrological niches on a Siberian floodplain 2 [Gidrologicheskie nishi v Sibirskikh poymakh 2]. INTERACT TA project report, 2014. [English]
42. Heinze B. Aspen genetic patterns [Genetika osiny]. INTERACT TA project report, 2013. [English]
43. Justo A., Malysheva E., Bulyonkova T., Vellinga E.C., Cobian G., Nguyen N., Minnis A.M., Hibbett D.S. Molecular phylogeny and phylogeography of Holarctic species of *Pluteus* section *Pluteus* (Agaricales: Pluteaceae), with description of twelve new species [Molekulyarnaya filogeniya i filogeografiya Golarkticheskikh vidov *Plyuteya* (Agaricales: Pluteaceae) s opisaniem dvennadtsati novykh vidov] // Phytotaxa. 2014. V. 180. № 1. P. 1–85. [English]
44. Kachalkin A.V. Yeas communities of Sphagnum bogs: PhD thesis [Drozhzhevye soobshchestva sfagnovykh mkhov : disc. ... kand. biol. nauk] // M., 2010. [Russian]
45. Kalashnikov A.Yu., Orlov T.V., Sadkov S.A., Zverev A.V., Zarov E.A., Filippov I.V., Lapshina E.D.. Mapping of a peatland mineral bottom and some features of peat deposits vertical structure by georadiolocation method [Kartirovanie mineral'nogo dna bolota i nekotorykh osobennostey vertikal'noy struktury torfyanoy zalezhi metodom georadiolakatsii] // Inzhenernaya, ugol'naya i rudnaya geofizika-2015. Sovremennoe sostoyanie i perspektivy razvitiya. Materialy konferentsii. M.: Mezhtsegiyonal'naya obshchestvennaya organizatsiya Evro-Aziatskoe geofizicheskoe obshchestvo, 2015. P. 148–149. [Russian]
46. Kleptsova I.E., Glagolev M.V., Filippov I.V., Maksyutov Sh.Sh. Methane emission from middle taiga ridges and ryams of Western Siberia [Emissiya metana iz ryamov i gryad sredney taygi Zapadnoy Sibiri] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 1. P. 63–72. [Russian]
47. Konstantinova N.A., Lapshina E.D. Hepatics (Marchantiophyta) of the plain of the Khanty-Mansiysk Autonomous district (West Siberia) [Pechenochniki (Marchantiophyta) ravninnoy chasti Khanty-Mansiyskogo avtonomnogo okruga (Zapadnaya Sibir')] // Arctoa. 2012. V. 21. [Russian]
48. Koronotova N.G. Primary production of treed bogs with *Pinus* in taiga sub-zones of West Siberia [Izmenenie produktivnosti bolotnykh sosnyakov v raznykh taezhnykh podzonakh Zapadnoy Sibiri] // Ekologiya Vodno-Bolotnykh Ugid' I Torfovyyshh (zbirnyk Naukovykh statej). Kyi'v, 2014. P. 120–124. [English]
49. Kosykh N.P. The impact of climate on biological productivity of peatlands in Western Siberia [Vliyanie klimata na biologicheskuyu produktivnost' bolot Zapadnoy Sibiri] // Global'nye ekologicheskie protsessy. Materialy mezhdunarodnoy nauchnoy konferentsii (Moskva, 2-4 oktyabrya 2012g.). M.: Academia, 2012. P. 295–300. [Russian]
50. Kosykh N.P., Koronotova N.G., Lapshina E.D., Filippova N.V., Vishnyakova E.K., Stepanova V.A. Linear growth and production of Sphagnum mosses in the middle taiga zone of West Siberia [Lineynyy prirost i produktsiya sfagnovykh mkhov v sredney tayge Zapadnoy Sibiri] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2017. V. 8. № 1. P. 3–13. [Russian]
51. Kosykh N.P., Koronotova N.G., Stepanova V.A. Growth rate and its dynamics of Sphagnum mosses [Dinamika i skorost' rosta sfagnovykh mkhov] // Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016). Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 34–35. [Russian]
52. Kosykh N.P., Koronotova N.G., Stepanova V.A. Linear growth and Net Primary Production of some Sphagnum species in Western Siberia [Lineynyy prirost i chistaya pervichnaya produktsiya nekotorykh vidov sfagnovykh mkhov Zapadnoy Sibiri]. Sankt-Peterburg: Izd-vo SPbGETU «LETI», 2015. P. 83–86. [Russian]
53. Kosykh N.P., Mironycheva-tokareva N.P. Biological productivity of the peatlands of Western Siberia [Biologicheskaya produktivnost' torfyanikh bolot Zapadnoy Sibiri] // Interesno Geo-Sibir'. 2012. V. 2. № 3. [Russian]

54. Kotsyurbenko O.R. Mukhrino field station for education and science in Khanty-Mansi autonomous okrug [Stantsiya Mukhrino kak infrastrukturnyy element v sovremennoy sisteme nauki i obrazovaniya KhMAO] // Reformirovanie biotekhnologicheskogo obrazovaniya na osnove Bolonskogo protsessa. Metodicheskoe posobie: v 3 t. V. 1. M: Laboratoriya znaniy, 2016. P. 394. [Russian]
55. Kul'kov M.G., Zarov E.A., Filippov I.V. The identification of oil pollution criteria in organogenic sediments by chromato-mass-spectrometry [Vyyavlenie kriteriev neftezagryaznennosti organogennykh donnykh otlozheniy metodom khromato-mass-spektrometrii] // Vodnye resursy. 2017. V. 44. № 2. P. 191–200. [Russian]
56. Laggoun-Defarge F. Aboveground-Belowground Interactions in a Siberian peatland eCOsystem: effect of climate change [Nazemno-podzemnye vzaimodeystviya v ekosistemakh torfyanykh bolot v Zapadnoy Sibiri: vliyanie izmeneniy klimata]. INTERACT TA project report, 2013. [English]
57. Laggoun-Defarge F. Functioning of Siberian mire ecosystems and their response to climate changes [Funktsionirovanie Sibirskikh torfyanykh bolot i ikh otklik na izmeneniya klimata]. INTERACT TA project report, 2012. [English]
58. Lamentowicz M., Słowińska S., Słowiński M., Jassey V.E.J., Chojnicki B.H., Barabach J., Samson M., Kołaczek P., Buttler A. Combining short-term manipulative experiments with long-term paleoecological investigations at high resolution to assess the response of Sphagnum peatlands to drought, fire and warming [Sovmestnoe ispol'zovanie kratkosrochnykh eksperimentov s dolgosrochnymi paleoekologicheskimi issledovaniyami dlya otsenki otklika sfagnovykh bolot na osushenie, poteplenie i pozhary] // Mires and Peat. 2016. V. 18. [English]
59. Lamentowicz M., Słowiński M., Marcisz K., Zielińska M., Kaliszan K., Lapshina E., Gilbert D., Buttler A., Fiałkiewicz-Kozieł B., Jassey V.E.J., Laggoun-Defarge F., Kołaczek P.. Hydrological dynamics and fire history of the last 1300 years in western Siberia reconstructed from a high-resolution, ombrotrophic peat archive [Gidrologicheskaya dinamika i istoriya pozharov poslednikh 1300 let v Zapadnoy Sibiri, rekonstruktsiya po torfyanoy kolonke vysokogo razresheniya] // Quaternary Research. 2015. V. 84. № 3. P. 312–325. [English]
60. Lamentowicz M., Slowinski M.M., Marcisz K., Kolaczek P., Neumann M., Kaliszan K., Lapshina E., Gilbert D., Buttler A., Fialkiewicz-Koziel B., Jassey V., Laggoun-Defarge F. Hydrological dynamics, fire history and carbon accumulation in the last millennium in Western Siberia reconstructed from a high resolution ombrotrophic peat archive [Dinamika gidrologii, istorii pozharov i nakopleniya ugleroda poslednego tesyacheletiya v Zapadnoy Sibiri, rekonstruktsiya po stratigraficheskoy kolonke torfa vysokogo razresheniya] // AGU Fall Meeting Abstracts. 2014. [English]
61. Lapshina E.D. A close look at the past and future of the planet. The activity of the UNESCO Chair Environmental Dynamics and Global Climate Change [Pod mikroskopom proshloe i budushchee. Deyatel'nost' kafedry YuNESKO «Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata» // Severnaya raduga Yugry, Khanty-Mansiyskiy avtonomnyy okrug v prizme XXI veka. Vestnik Komissii Rossiyskoy Federatsii po delam YuNESKO. V. 22. P. 133–149. [Russian]
62. Lapshina E.D. History of creation and trends of activity of Yurga state university UNESCO department Environment dynamics and global climate change [Istoriya sozdaniya i osnovnye napravleniya deyatel'nosti kafedry YuNESKO YuGU] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2008. V. S1. P. 4–15. [Russian]
63. Lapshina E.D. INTERACT – the project supporting ecological research in Arctic and Northern regions [Proekt INTERACT – innovatsionnaya ploshchadka podderzhki ekologicheskikh issledovaniy v Arktike i severnykh regionakh] // Kafedry YuNESKO v Rossii: luchshie praktiki. Vestnik Komissii RF po delam YuNESKO. 2013. V. 16. P. 96–103. [Russian]
64. Lapshina E.D., Alekseyshik P., Dengel S., Filippova N.V., Zarov E.A., Filippov I.V., Terentyeva I.E., Sabrekov A.F., Solomin Y.R., Karpov D.V., Mammarella I. A new peatland research station in the center of West Siberia: description of infrastructure and research activities [Novyy bolotnyy statsionar v tsentral'noy chasti Zapadnoy Sibiri: opisanie infrastruktury i issledovaniy] // Proceedings of the 1st Pan - Eurasian Experiment (PEEX) Conference and the 5th PEEX Meeting. Report series in aerosol science. 2015. V. 163. P. 236–240. [English]
65. Lapshina E.D., Galanina O.V. (Eds.) Proceedings of the VI International Meeting on the Biology of Sphagnum Khanty-Mansiysk, Saint Petersburg. July 28 - August 11, 2016 [Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016. Tomsk: Izd-vo Tom. gos. un-ta. 2016. 74 p. [English]

66. Lapshina E.D., Glagolev M.V., Mironycheva-Tokoreva N.P., Filippov I.V., Zarov E.A., Solomin Ya.R., Filippova N.V., Pankova N.L., Shnyrev N.A., Bloyten V. International Mukhrino Field Station: the main activities and research results [Mezhdunarodnyy polevoy statsionar «Mukhrino»: osnovnye napravleniya deyatel'nosti i rezul'taty issledovaniy] // «Biogeotsenologiya i landshaftnaya ekologiya: itogi i perspektivy»: materialy IV mezhdunarodnoy konferentsii, posvyashchennoy pamyati Yu.A. L'vova (28-30 noyabrya 2012 g., Tomsk). Tomsk: Natsional'nyy issledovatel'skiy Tomskiy gosudarstvennyy universitet, 2012. P. 87–92. [Russian]
67. Lapshina E.D., Koneva V.A. Species diversity of ground lichens in the raised bog vegetation of the Irtysh left-bank terraces [Vidovoe raznoobrazie napochvennykh lishaynikov v rastitel'nom pokrove verkhovykh bolot levoberezhnykh terras nizhnego Irtysha] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 1. P. 1–6. [Russian]
68. Lapshina E.D., Papanova Y.I., Filippova N.V. Mukhrino field station leaflet // Yugra state university, 2015. [English]
69. Lapshina E.D., Pisarenko O.Yu. Moss flora of the Khanty-Mansiysk autonomous odistrict (West Siberia) [Flora mkhov Khanty-Mansiyskogo avtonomnogo okruga (Zapadnaya Sibir')] // Turczaninowia. 2013. V. 16. № 2. P. 62–80. [Russian]
70. Lindemann U., Helleman S., Filippova N.V., Krieglsteiner L., Pennanen M. *Micropeziza curvatispora* sp. nov., *M. fenniae* sp. nov. and *M. zottoi* sp. nov. (Helotiales) – three new species of the genus *Micropeziza* from Western Siberia, Finland, Germany and Belgium [Micropeziza curvatispora sp. nov., M. fenniae sp. nov. and M. zottoi sp. nov. (Helotiales) – tri novykh vida iz roda Mikropetsitsa opisannye iz Zapadnoy Sibiri, Finlyandii, Germanii i Bel'gii] // Ascomycete.org. 2014. V. 6. № 5. P. 113–124. [English]
71. Mammarella I. Greenhouse gas exchange in boreal wetland and freshwater ecosystems: a multi-scale approach [Krugovorot parikovykh gazov v ekosistemakh boreal'nykh bolot i presnovodnykh ekosistem]. INTERACT TA project report, 2014. [English]
72. Orlov T.V., Sadkov S.A., Zverev A.V., Viktorov A.S., Kalashnikov A.Yu., Zarov E.A., Filippov I.V. Using georadar & remote sensing methods and mathematical modelling in the study of peat deposits for solving geo-ecological problems [Ispol'zovanie georadarnykh i distantsionnykh metodov i matematicheskogo modelirovaniya pri izuchenii torfyanykh otlozheniy dlya resheniya geoekologicheskikh zadach] // Sergeevskie chteniya. Inzhenernaya geologiya i geoekologiya. Fundamental'nye problemy i prikladnye zadachi Yubileynaya konferentsiya, posvyashchennaya 25-letiyu obrazovaniya IGE RAN. M.: RUDN, 2016. P. 679–683. [Russian]
73. Oshkin I. Methan emission from mud seeps in Khanty-Mansi autonomous okrug and methanotrophic bacterial communities: master thesis [Emissiya metana iz «gryazevykh vulkanchikov» Khanty-Mansiyskogo AO i okislyayushchie ego metanotrofnye bakterii: diplomnaya rabota] // M., 2011. 60 p. [Russian]
74. Oshkin I.Y., Wegner C.-E., Lüke C., Glagolev M.V., Filippov I.V., Pimenov N.V., Liesack W., Dedysh S.N. Gammaproteobacterial Methanotrophs Dominate Cold Methane Seeps in Floodplains of West Siberian Rivers [Gammaproteobakterial'nye metanotrofy dominiruyut v gryazevykh metanovykh sipakh poym rek Zapadnoy Sibiri] // Appl. Environ. Microbiol. 2014. V. 80. № 19. P. 5944–5954. [English]
75. Osnitskiy E.M., Zarov E.A., Mendelev D.A. The results of the termal analysis of humic acids in peat colum in Khanty-Mansi Autonomous Okrug-Yugra [Rezul'taty termicheskogo analiza guminovykh kislot torfov stratigraficheskoy torfyanoy kolonki Khanty-Mansiyskogo avtonomnogo okruga – Yugry] // Vestnik nauchnykh konferentsiy. 2016. V. 4–5. P. 158–161. [Russian]
76. Osnitskiy E.M., Zarov E.A., Sartakov M.P., Chumak V.A., Novikov A.A. Botanical and chemical composition of humic acids in peat column from Mukhrino field station (Khanty-Mansi auotnomous okrug) [Botanicheskiy i khimicheskiy sostav guminovykh kislot stratigraficheskoy torfyanoy kolonki polevogo statsionara Mukhrino Khanty-Mansiskogo rayona] // Vestnik nauchnykh konferentsiy. 2016. V. 2–5. P. 94–99. [Russian]
77. Pankova N.L., Filippov I.V. First record of *Potamogeton sarmaticus* Emets (Potamogetonaceae) in Khanty-Mansiysk district [Nakhodka Potamogeton sarmaticus Emets (Potamogetonaceae) v Khanty-Mansiyskom avtonomnom okruge)] // Byulleten' MOIP. Otdel Biologicheskiiy. 2011. V. 116. P. 86–96. [Russian]
78. Papanova Y.I., Lapshina E.D. Mukhrino field station (booklet) // Khanty-Mansiysk: Yugra state university. 2016. [English]

79. Papanova Yu.I., Lapshina E.D. Polevoy statsionar Mukhrino (buklet) // Khanty-Mansiysk: Yugorskiy gosudarstvennyy universtitet. 2016. [Russian]
80. Pärn J., Aasa A., Egorov S., Filippov I., Gabiri G., Gheorghe I., Järveoja J., Kasak K., Laggoun-Défarge F., Luswata C.K., Maddison M., Mitsch W.J., Óskarsson H., Pellerin S., Salm J.-O., Sohar K., Soosaar K., Teemusk A., Tenywa M.M., Villa J.A., Vohla C., Mander Ü. Global Boundary Lines of N₂O and CH₄ Emission in Peatlands [Global'nche pogranichnye linii emissii metana i dioksida azota v torfyanykh bolotakh] // The Role of Natural and Constructed Wetlands in Nutrient Cycling and Retention on the Landscape. Springer International Publishing, 2015. P. 87–102. [English]
81. Payne R. The forested-to-open bog ecotone in naturally and artificially forested peatlands [Ekoton mezhdu zalesennym i otkrytym bolotom v estestvennykh i iskusstvenno sozdannykh torfyanykh bolotakh]. INTERACT TA project report, 2014. [English]
82. Payne R.J., Creevy A., Malysheva E., Ratcliffe J., Andersen R., Tsyganov A.N., Rowson J.G., Marcisz K., Zielińska M., Lamentowicz M., Lapshina E.D., Mazei Y. Tree encroachment may lead to functionally-significant changes in peatland testate amoeba communities [Oblesenie mozhet privesti k funktsional'no-znachimym izmeneniyam v soobshchestvakh rakovinykh bolot torfyanykh bolot] // Soil Biology and Biochemistry. 2016. V. 98. P. 18–21. [English]
83. Pikunov S.V., Lapshina E.D. UNESCO chair «Environmental dynamics and global climate change» of Yugra State University [Kafedra YuNESKO «Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata» Yugorskogo gosudarstvennogo universiteta] // Kafedry YuNESKO Rossii. Vestnik Komissii Rossiyskoy Federatsii po delam YuNESKO. 2009. P. 108–112. [Russian]
84. Sabrekov A.F. On a correlation between diurnal pattern of the methane mixing ration above the mire surface and the diffusion coefficient [O svyazi sutochnoy dinamiki kontsentratsii metana nad bolotom s koeffitsientom diffuzii] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 2. P. 1–10. [Russian]
85. Sabrekov A.F., Glagolev M.V. Methane emission measurements from Russian soils: investigations at stationary sites [Izmereniya emissii metana iz pochv Rossii: statsionarnye issledovaniya] // Bolota i Biosfera: Materialy VIII Vserossiyskoy s mezhdunarodnym uchastiem nauchnoy shkoly (10-15 sentyabrya 2012). Tomsk: Iz-vo TGPU, 2012. P. 245–250. [Russian]
86. Sabrekov A.F., Glagolev M.V., Filippov I.V., Kazantsev V.S., Lapshina E.D., Machida T., Maksyutov S.S. Methane emissions from north and middle taiga mires of Western Siberia: Bc8 standard model [Emissiya metana v bolotakh sredney i severnoy taygi Zapadnoy Sibiri: standartnaya model' Bc8] // Moscow Univ. Soil Sci. Bull. 2012. V. 67. № 1. P. 45–53. [English]
87. Sabrekov A.F., Kleptsova I.E., Glagolev M.V., Maksyutov S.S., Machida T. Methane emission from oligotrophic hollows in middle taiga zone of West Siberia [Emissiya metana iz oligotrofnykh mochazhin sredney taygi Zapadnoy Sibiri] // Vestnik Tomskogo gosudarstvennogo pedagogicheskogo universiteta. 2011. № 5. [English]
88. Sartakov M.P., Lapshina E.D., Osnitsky E.M., Zarov E.A., Deryabina Y.M. The thermal stability comparative analysis of humic acids in the sphagnous peat of the Western Siberia Taiga Zone raised bogs [Sravnitel'nyy analiz termal'noy stabil'nosti guminovykh kislot v sfagnovykh torfakh verkhovykh bolot taezhnoy zony Zapadnoy Sibiri] // Research Journal of Pharmaceutical, Biological and Chemical Sciences. 2016. V. 7. № 5. P. 1311–1320. [English]
89. Sartakov M.P., Osnitskiy E.M., Zarov E.A., Novikov A.A., Chumak V.A. Measuring the number of spins of humic acids in peat using Electron paramagnetic resonance-spectrometer [Izmerenie chisla spinov guminovykh kislot torfov Khanty-Mansiyskogo AO-Yugry na EPR-spektrometre, otnositel'no nitroksil'nogo radikal-standarta k chislu spinov po absolute spins] // Vestnik nauchnykh konferentsiy. 2016. V. 2–5. P. 109–111. [Russian]
90. Shcherbakov A.V. Endophytic communities of sphagnum moses as a source of bacteria being effective associates of crops: PhD thesis [Endofitnye soobshchestva sfagnovykh mkhov kak istochnik bakteriy - effektivnykh assotsiantov sel'skokhozyaystvennykh kul'tur: avtoref. diss. ... kand. biol. nauk.] // M., 2014. 23 p. [Russian]
91. Shcherbakov A.V., Kuzmina E.Y., Lapshina E.D., Bragina A., Berg C., Berg G., Shcherbakova E.N., Chebotar V.K., Tikhonovich I.A. Endophytica bacteria associated with Sphagnum mosses: ecological diversity and application for agricultural microbiology [Endofitnye bakterii na Sfagnovykh mkhakh: ekologicheskoe raznoobranie i primeneniye v sel'skokhozyaystvennoy mikrobiologii] // Moss: Classification, development and growth and functional role in ecosystems. Nova Science Publishers, Inc., 2014. P. 87–110. [English]

92. Shcherbakov A.V., Kuzmina E.Y., Lapshina E.D., Shcherbakova E.N., Gonchar L.N., Chebotar V.K. Taxonomic diversity of bacterial populations inhabiting gametophytes of Sphagnum mosses from different geographic regions of Russia // *Agronomy Research*. 2015. V. 1. P. 192–201. [English]
93. Shnyrev N.A. Monitoring and gas exchange at the boundary between soil and atmosphere (methane emission in middle taiga zone of Western Siberia, Mukhrino field station): PhD thesis [Rezhimnye nablyudeniya i otsenka gazoobmena na granitse pochvy i atmosfery (na primere potokov metana bolotnogo statsionara sredne-taizhnoy zony Zapadnoy Sibiri «Mukhrino»): diss. ... kand. biol. nauk.] // M., 2016. 184 p. [Russian]
94. Shnyrev N.A., Smagin A.V. To calculation of methane fluxes by profile distribution in snow cover [K metodike rascheta potokov metana po profil'nym raspredeleniyam v snegovom pokrove] // *Materialy chetvertogo mezhdunarodnogo polevogo simpoziuma «Zapadno-Sibirskiy torfyaniki i tsikl ugleroda: proshloe i nastoyashchee, Novosibirsk, 4-17 Avgusta 2014 g. Novosibirsk: Tomsk university press, 2014. P. 137. [Russian]*
95. Smagin A.V. Kinetic assessment of gas exchange between the soil and the atmosphere by the static chamber method [Otsenka kinetiki gazoobmena mezhdu pochvoy i atmosferoy ispol'zuya metod statsionarnykh kamer] // *Eurasian Soil Sc.* 2015. V. 48. № 7. P. 719–725. [English]
96. Smagin A.V., Shnyrev N.A. Methane emission and diffusion in snow cover of bogs [Emissiya i diffuziya metana v snezhnom pokrove bolot] // *Vestnik Altayskogo gosudarstvennogo agrarnogo universiteta*. 2014. № 8 (118). P. 45–49. [Russian]
97. Smagin A.V., Shnyrev N.A. Methane fluxes during the cold season: distribution and mass transfer in the snow cover of bogs [Potoki metana v zimniy period: raspredelenie i perenos mass v snezhnom pokrove bolot] // *Eurasian Soil Sc.* 2015. V. 48. № 8. P. 823–830. [English]
98. Smith M. Testing methodologies to monitor the ecosystem services and establish large forest dynamics plots at two Eurasian Boreal forest sites [Testirovanie metodologii monitoringa ekosistemnykh funktsiy i zakladka bol'shikh monitoringovykh ploshchadok na dvukh uchastkakh Boreal'nogo lesa]. INTERACT TA project report, 2012. [English]
99. Stavishenko I.V. Xylotrophic basidiomycetes of Ob-Irtysh bank area [Ksilotrofnye bazidiomitsety Ob'-Irtyshskogo levoberezh'ya] // *Vestnik Udmurtskogo universiteta. Seriya «Biologiya. Nauki o Zemle»*. 2016. № 1. P. 71–78.
100. Stepanova V.A. Macroelement composition of peat in raised bogs of Western Siberia: PhD thesis [Osobennosti makroelementnogo khimicheskogo sostava pochv verkhovykh bolot sredney taygi Zapadnoy Sibiri: aftoref. diss. ... kand. biol. nauk] // Novosibirsk, 2012. 24 p. [Russian]
101. Stepanova V.A., Pokrovskiy O.S. Macroelement composition of peat of raised bogs in the middle taiga zone of Western Siberia (Mukhrino bog) [Makroelementnyy sostav torfa vypuklykh verkhovykh bolot sredney taygi Zapadnoy Sibiri (na primere bolotnogo kompleksa «Mukhrino»)] // *Vestnik Tomskogo gosudarstvennogo universiteta*. 2011. № 352. [Russian]
102. Szajdak L.W. Impact of Arctic zone on the chemical and biochemical processes, conversions and transformations in peat layers [Vliyanie Arkticheskoy zony na khimicheskie i biokhimicheskie protsessy, izmeneniya i transformatsii v torfyanoy zalezhi]. INTERACT TA project report, 2012. [English]
103. Szajdak L.W. Peat - unstable raw material // *Ekologiya vodno-bolotnykh ugid' i torfovishch (zbornik naukovikh statey)*. Kiiiv: TOV NVP «Interservis», 2014. P. 12–15.
104. Szajdak L.W. Processes in meliorated peat soils // *Ekologiya vodno-bolotnykh ugid' i torfovishch (zbornik naukovikh statey)*. Kiiiv: TOV NVP «Interservis», 2014. P. 15–20.
105. Szajdak L.W., Lapshina E.D., Gaca W., Styla K., Meysner T., Szczepański M., Zarov E.A. Physical, chemical and biochemical properties of Western Siberia Sphagnum and Carex peat soils [Fizicheskie, khimicheski i biokhimicheskie svoystva sfanovykh i osokovykh torfov Zapadnoy Sibiri] // *Environmental dynamics and global climate change*. 2016. V. 7. № 2 (14). P. 13–25. [English]
106. Terentjeva I.E., Glagolev M.V., Lapshina E.D., Sabrekov A.F., Maksyutov S. Mapping of West Siberian taiga wetland complexes using Landsat imagery: implications for methane emissions [Kartirovanie Zapadno-Sibirskikh bolot v taizhnoy zone ispol'zuya Landsat: primenenie dlya otsenki potokov metana] // *Biogeosciences*. 2016. V. 13. № 16. P. 4615–4626. [English]
107. Terentyeva I.E., Glagolev M.V., Lapshina E.D., Sabrekov A.F., Maksyutov S.S. High resolution wetland mapping in West Siberian taiga zone for methane emission inventory [Kartirovanie bolot vysokogo razresheniya v taizhnoy zone Zapadnoy Sibiri dlya otsenki potokov metana] // *Biogeosciences Discuss.* 2015. V. 12. P. 20149–20178. [English]

108. Van Oosten H., Emtsev A.A. Putative Segregation of Two Yellow Wagtail Taxa by Breeding Habitat in Western Siberia: Possible Implications for *Motacilla flava* Taxonomy [Predpolagaemaya segregatsiya dvukh taksonov zheltoy tryasoguzki cherez razdelenie uchastkov razmnozheniya v Zapadnoy Sibiri: vozmozhnoe primenenie dlya taksonomii vida] // *Ardea*. 2013. V. 101. № 1. P. 65–70. [English]
109. Vishnyakova E.K., Mironycheva-Tokareva N.P., Laggoun-Défarge F. Carbon and nitrogen budget in peatlands of middle taiga zone [Byudzheth ugleroda i azota v bolotnykh ekosistemakh sredney taygi] // *Biogeotsenologiya i landshaftnaya ekologiya: itogi i perspektivy. Materialy IV Mezhdunarodnoy konferentsii posvyashchennoy pamyati Yu.A. L'vova, 28-30 noyabrya 2012 g.* Tomsk: Natsional'nyy issledovatel'skiy Tomskiy gosudarstvennyy universitet, 2012. P. 235–240. [Russian]
110. Vishnyakova E.K., Sayb E.A., Lapshina E.D. Net primary production and decomposition of *Sphagnum fuscum* in middle taiga zone of Western Siberia [Chistaya pervichnaya produktsiya i razlozhenie *Sphagnum fuscum* (Schimp.) Klinger. v sredney tayge Zapadnoy Sibiri] // *Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016).* Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 67–68. [Russian]
111. Voltas J. Has synchronicity in tree performance increased during the last century in arctic biomes? Testing for continent-wide dendroecological imprints under global warming [Sushchestvuet li uvelichenie v sinkhronnosti rosta derev'ev v poslednee stolie v Arkticheskom biome? Testirovanie dendroekologicheskogo imprinta v usloviyakh izmeneniya klimata]. INTERACT TA project report, 2014. [English]
112. Zarov E.A. Basic physico-chemical properties of peat and their dependence on the botanical composition and moisture condition (Mukhrino bog, Khanty-Mansiysk autonomous okrug) [Osnovnye fiziko-khimicheskie svoystva torfa i ikh zavisimost' ot botanicheskogo sostava i usloviy uvlazhneniya (na primere torfov bolotnogo massiva «Mukhrino», KhMAO-Yugra)] // *Desyatoe Sibirskoe Soveshchanie po klimato-ekologicheskomu monitoringu. Materialy Vserossiyskoy konferentsii.* Tomsk: IMKES, 2013. P. 215–216. [Russian]
113. Zarov E.A. Bulk density of *Sphagnum* peat of raised bogs in taiga zone of Western Siberia [Ob"emnaya plotnost' sfagnovoy derniny verkhovykh bolot taezhnoy zony Zapadnoy Sibiri] // *Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016).* Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 69–70. [Russian]
114. Zarov E.A. Element composition of peatland soils and botanical composition of peat [Kharakteristika elementnogo sostava bolotnykh pochv i vzaimosvyaz' s botanicheskim sostavom torfa] // *II Kovalevskie molodezhnye chteniya «Pochva kak bazovyy komponent nazemnykh ekosistem».* Novosibirsk: izdatel'stvo «Okarina», 2013. P. 67–70. [Russian]
115. Zarov E.A. Peat types of raised bogs and their physico-chemical properties (Mukhrino bog, Khanty-Mansi autonomous okrug-Yugra) [Vidy torfa verkhovykh bolot i ikh fiziko-khimicheskie svoystva (na primere bolotnogo massiva Mukhrino, KhMAO-Yugra)] // *Sbornik tezisov I regional'noy molodezhnoy konferentsii im. V.I. Shpil'mana «Problemy ratsional'nogo prirodopol'zovaniya i istoriya geologicheskogo poiska v Zapadnoy Sibiri».* Khanty-Mansiysk: Redaktsionno-izdatel'skiy otdel AU «Institut razvitiya obrazovaniya», 2013. P. 118–121. [Russian]
116. Zarov E.A. The relationship between ash content, botanical composition of peat and alluvial processes in eutrophic peatlands of Ob floodplain [Vzaimosvyaz' pokazatelya zol'nosti poymennykh nizinykh bolot s botanicheskim sostavom torfa i allyuvial'nymi protsessami] // *Sbornik tezisov II regional'noy molodezhnoy konferentsii im. V. I. Shpil'mana «Problemy ratsional'nogo prirodopol'zovaniya i istoriya geologicheskogo poiska v Zapadnoy Sibiri».* Khanty-Mansiysk: OOO «Yugorskiy format», 2014. [Russian]
117. Zarov E.A., Lapshina E.D., Papanova Yu. International field station «Mukhrino» as a platform for long-term research of natural ecosystems of the middle taiga zone of Western Siberia [Nauchno-polevaya stantsiya «Mukhrino» kak ploshchadka dlya dolgosrochnykh issledovaniy prirodnykh ekosistem srednetaezhnoy zony Zapadnoy Sibiri] // *Materialy molodezhnoy nauchnoy shkoly «Tsirkumpolyarnye issledovaniya».* Prirodnye resursy i kompleksnoe osvoenie pribrezhnykh rayonov Arkticheskoy zony: Sb. nauchnykh trudov. Arkhangel'sk, 2016. P. 177–181. [Russian]
118. Zarov E.A., Schmitz O., Bleuten W. Development of a high resolution modeling tool for prediction of waterflows through complex mires: Example of the Mukhrino bog complex in West Siberian

- middle Taiga Zone [Razrabotka modeli vysokogo razresheniya kak instrumenta dlya predskazaniya vodotokov s kompleksnykh bolot: na primere bolota Mukhrino v zone sredney taygi Zapadnoy Sibiri] // Geophysical Research Abstracts. 2015. V. 17. [English]
119. Zielinska M., Lamentowicz M., Marcisz K., Laggoun-Defarge F., Buttler A., Slowinski M.M., Lapshina E.D., Gilbert D. Ecology of testate amoebae and development of a new transfer function in bogs of Western Siberia [Ekologiya rakovinykh ameb i razvitie novoy funktsii perenosa v bolotakh Zapadnoy Sibiri] // 7th International Symposium on Testate Amoebae (8-12 September 2014, Poznań, Poland). Poznan, 2014. P. 89. [English]

THEMATIC ORDER

Review papers about MFS, leaflets and booklets

1. Elger K. et al. (ed.) INTERACT Station catalogue. Denmark: DCE - Danish Centre for Environment and Energy, Aarhus University, 2012. 192 p.
2. Kotsyurbenko O.R. Mukhrino field station for education and science in Khanty-Mansi autonomous okrug [Stantsiya Mukhrino kak infrastruktorny element v sovremennoy sisteme nauki i obrazovaniya KhMAO] // Reformirovanie biotekhnologicheskogo obrazovaniya na osnove Bolonskogo protsessa. Metodicheskoe posobie: v 3 t. T. 1. M: Laboratoriya znaniy, 2016. P. 394.
3. Lapshina E.D. A close look at the past and future of the planet. The activity of the UNESCO Chair Environmental Dynamics and Global Climate Change [Pod mikroskopom proshloe i budushchee. Deyatel'nost' kafedry YuNESKO «Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata» // Severnaya raduga Yugry, Khanty-Mansiyskiy avtonomnyy okrug v prizme XXI veka. Vestnik Komissii Rossiyskoy Federatsii po delam YuNESKO. V. 22. P. 133–149.
4. Lapshina E.D. et al. A new peatland research station in the center of West Siberia: description of infrastructure and research activities [Novyy bolotnyy stantsionar v tsentral'noy chasti Zapadnoy Sibiri: opisanie infrastruktury i issledovaniy] // Proceedings of the 1st Pan - Eurasian Experiment (PEEX) Conference and the 5th PEEX Meeting. Report series in aerosol science. 2015. V. 163. P. 236–240.
5. Lapshina E.D. et al. International Mukhrino Field Station: the main activities and research results [Mezhdunarodnyy polevoy stantsionar «Mukhrino»: osnovnye napravleniya deyatel'nosti i rezul'taty issledovaniy] // «Biogeotsenologiya i landshaftnaya ekologiya: itogi i perspektivy»: materialy IV mezhdunarodnoy konferentsii, posvyashchennoy pamyati Yu.A. L'vova (28-30 noyabrya 2012 g., Tomsk). Tomsk: Natsional'nyy issledovatel'skiy Tomskiy gosudarstvennyy universitet, 2012. P. 87–92.
6. Lapshina E.D. History of creation and trends of activity of Yurga state university UNESCO department Environment dynamics and global climate change [Istoriya sozdaniya i osnovnye napravleniya deyatel'nosti kafedry YuNESKO YuGU] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2008. V. S1. P. 4–15.
7. Lapshina E.D. INTERACT – the project supporting ecological research in Arctic and Northern regions [Proekt INTERACT – innovatsionnaya ploshchadka podderzhki ekologicheskikh issledovaniy v Arktike i severnykh regionakh] // Kafedry YuNESKO v Rossii: luchshie praktiki. Vestnik Komissii RF po delam YuNESKO. 2013. V. 16. P. 96–103.
8. Lapshina E.D., Papanova Y.I., Filippova N.V. Mukhrino field station leaflet // Yurga state university, 2015.
9. Papanova Y.I., Lapshina E.D. Mukhrino field station (booklet) // Yurga state university, 2016.
10. Papanova Yu.I., Lapshina E.D. Polevoy stantsionar Mukhrino (buklet) // Yugorskiy gosudarstvennyy universitet, 2016.
11. Pikunov S.V., Lapshina E.D. UNESCO chair «Environmental dynamics and global climate change» of Yurga State University [Kafedra YuNESKO «Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata» Yugorskogo gosudarstvennogo universiteta] // Kafedry YuNESKO Rossii. Vestnik Komissii Rossiyskoy Federatsii po delam YuNESKO. 2009. P. 108–112.
12. Zarov E.A., Lapshina E.D., Papanova Yu. International field station «Mukhrino» as a platform for long-term research of natural ecosystems of the middle taiga zone of Western Siberia [Nauchno-polevaya stantsiya «Mukhrino» kak ploshchadka dlya dolgosrochnykh issledovaniy prirodnykh ekosistem srednetaezhnoy zony Zapadnoy Sibiri] // Materialy molodezhnoy nauchnoy shkoly «Tsirkumpolyarnye issledovaniya». Prirodnye resursy i kompleksnoe osvoenie pribrezhnykh

Botany, bryology, vegetation

1. Cavers S. Genomics of Adaptive Variation in Pines [Genomika adaptivnoy variatsii sosny]. INTERACT TA project report, 2012.
2. Cavers S. Scots pine genetics – from Scotland to Russia: Arctic Research blog [Genetika sosny obyknovennoy – iz Shotlandii v Rossiyu: blog o polevoy rabote] // URL: <https://arcticresearch.wordpress.com/category/blogs-from-the-field/scots-pine-genetics-from-scotland-to-russia>, 2012.
3. Gowing D. Hydrological niches on a Siberian floodplain [Gidrologicheskie nishi v Sibirskikh poymakh]. INTERACT TA project report, 2013.
4. Gowing D. Hydrological niches on a Siberian floodplain 2 [Gidrologicheskie nishi v Sibirskikh poymakh 2]. INTERACT TA project report, 2014.
5. Heinze B. Aspen genetic patterns [Genetika osiny]. INTERACT TA project report, 2013.
6. Kalashnikov A.Yu. et al. Mapping of a peatland mineral bottom and some features of peat deposits vertical structure by georadiolocation method [Kartirovanie mineral'nogo dna bolota i nekotorykh osobennostey vertikal'noy struktury torfyany zalezhi metodom georadiolakatsii] // Inzhenernaya, ugol'naya i rudnaya geofizika-2015. Sovremennoe sostoyanie i perspektivy razvitiya. Materialy konferentsii. M.: Mezhtsestvennaya organizatsiya Evro-Aziatskoe geofizicheskoe obshchestvo, 2015. P. 148–149.
7. Konstantinova N.A., Lapshina E.D. Hepatics (Marchantiophyta) of the plain of the Khanty-Mansiysk Autonomous district (West Siberia) [Pechenochniki (Marchantiophyta) ravninnoy chasti Khanty-Mansiyskogo avtonomnogo okruga (Zapadnaya Sibir')] // Arctoa. 2012. V. 21.
8. Lapshina E.D., Pisarenko O.Yu. Moss flora of the Khanty-Mansiysk autonomous odistrict (West Siberia) [Flora mkhov Khanty-Mansiyskogo avtonomnogo okruga (Zapadnaya Sibir')] // Turczaninowia. 2013. V. 16. № 2. P. 62–80.
9. Orlov T.V. et al. Using georadar & remote sensing methods and mathematical modelling in the study of peat deposits for solving geo-ecological problems [Ispol'zovanie georadarnykh i distantsionnykh metodov i matematicheskogo modelirovaniya pri izuchenii torfyanykh otlozheniy dlya resheniya geoekologicheskikh zadach] // Sergeevskie chteniya. Inzhenernaya geologiya i geoekologiya. Fundamental'nye problemy i prikladnye zadachi Yubileynaya konferentsiya, posvyashchennaya 25-letiyu obrazovaniya IGE RAN. M.: RUDN, 2016. P. 679–683.
10. Pankova N.L., Filippov I.V. First record of Potamogeton sarmaticus Emets (Potamogetonaceae) in Khanty-Mansiysk district [Nakhodka Potamogeton sarmaticus Emets (Potamogetonaceae) v Khanty-Mansiyskom avtonomnom okruge] // Byulleten' MOIP. Otdel Biologicheskii. 2011. V. 116. P. 86–96.
11. Payne R. The forested-to-open bog ecotone in naturally and artificially forested peatlands [Ekoton mezhdru zalesennym i otkrytym bolotom v estestvennykh i iskusstvenno sozdannykh torfyanykh bolotakh]. INTERACT TA project report, 2014.
12. Payne R.J. et al. Tree encroachment may lead to functionally-significant changes in peatland testate amoeba communities [Oblesenie mozhet privesti k funktsional'no-znachimym izmeneniyam v soobshchestvakh rakovinnykh bolot torfyanykh bolot] // Soil Biology and Biochemistry. 2016. V. 98. P. 18–21.
13. Proceedings of the VI International Meeting on the Biology of Sphagnum Khanty-Mansiysk, Saint Petersburg. July 28 - August 11, 2016 [Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016)] / ed. E.D. Lapshina, O.V. Galanina. Tomsk: Izd-vo Tom. gos. un-ta. 74 p.

14. Terentieva I.E. et al. Mapping of West Siberian taiga wetland complexes using Landsat imagery: implications for methane emissions [Kartirovanie Zapadno-Sibirskikh bolot v taezhnoy zone ispol'zuya Landsat: primeneniye dlya otsenki potokov metana] // Biogeosciences. 2016. V. 13. № 16. P. 4615–4626.
15. Terentyeva I.E. et al. High resolution wetland mapping in West Siberian taiga zone for methane emission inventory [Kartirovanie bolot vysokogo razresheniya v taezhnoy zone Zapadnoy Sibiri dlya otsenki potokov metana] // Biogeosciences Discuss. 2015. V. 12. P. 20149–20178.

Net primary production and decomposition

1. Foereid B. et al. Photo-expose affects subsequent peat decomposition [Effekt fotoekspozitsii na razlozheniye torfa] // Proceedings of the fourth international field symposium West Siberian Peatlands and Carbon Cycle: Past and Present, Novosibirsk, August 4-17, 2014. 2014.
2. Foereid B. Photodegradation in peat decomposition [Fotodegradatsiya v razlozhenii torfa]. INTERACT TA project report, 2013.
3. Koronatova N.G. Primary production of treed bogs with Pinus in taiga sub-zones of West Siberia [Izmeneniye produktivnosti bolotnykh sosnyakov v raznykh taezhnykh podzonakh Zapadnoy Sibiri] // Ekologiya Vodno-Bolotnykh Ugid' I Torfovyshh (zbirnyk Naukovykh statej). Kiiiv: TOV NVP «Interservis», 2014. P. 120–124.
4. Kosykh N.P. et al. Linear growth and production of Sphagnum mosses in the middle taiga zone of West Siberia [Lineynyy prirost i produktsiya sfagnovykh mkhov v sredney tayge Zapadnoy Sibiri] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2017. V. 8. № 1. P. 3–13.
5. Kosykh N.P. The impact of climate on biological productivity of peatlands in Western Siberia [Vliyanie klimata na biologicheskuyu produktivnost' bolot Zapadnoy Sibiri] // Global'nye ekologicheskie protsessy. Materialy mezhdunarodnoy nauchnoy konferentsii (Moskva, 2-4 oktyabrya 2012g.). M.: Academia, 2012. S. 295–300.
6. Kosykh N.P., Koronatova N.G., Stepanova V.A. Growth rate and its dynamics of Sphagnum mosses [Dinamika i skorost' rosta sfagnovykh mkhov] // Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016). Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 34–35.
7. Kosykh N.P., Koronatova N.G., Stepanova V.A. Linear growth and Net Primary Production of some Sphagnum species in Western Siberia [Lineynyy prirost i chistaya pervichnaya produktsiya nekotorykh vidov sfagnovykh mkhov Zapadnoy Sibiri]. Sankt-Peterburg: Izd-vo SPbGETU «LETI», 2015. P. 83–86.
8. Kosykh N.P., Mironycheva-tokareva N.P. Biological productivity of the peatlands of Western Siberia [Biologicheskaya produktivnost' torfyanykh bolot Zapadnoy Sibiri] // Interekspo Geo-Sibir'. 2012. V. 2. № 3.
9. Laggoun-Defarge F. Aboveground-Belowground Interactions in a Siberian peatland eCOsystem: effect of climate change [Nazemno-podzemnye vzaimodeystviya v ekosistemakh torfyanykh bolot v Zapadnoy Sibiri: vliyanie izmeneniy klimata]. INTERACT TA project report, 2013.
10. Vishnyakova E.K., Mironycheva-Tokareva N.P., Laggoun-Défarge F. Carbon and nitrogen budget in peatlands of middle taiga zone [Byudzheth ugleroda i azota v bolotnykh ekosistemakh sredney taygi] // Biogeotsenologiya i landshaftnaya ekologiya: itogi i perspektivy. Materialy IV Mezhdunarodnoy konferentsii posvyashchennoy pamyati Yu.A. L'vova, 28-30 noyabrya 2012 g. Tomsk: Natsional'nyy issledovatel'skiy Tomskiy gosudarstvennyy universitet, 2012. P. 235–240.
11. Vishnyakova E.K., Sayb E.A., Lapshina E.D. Net primary production and decomposition of Sphagnum fudcum in middle taiga zone of Western Siberia [Chistaya pervichnaya produktsiya i razlozheniye Sphagnum fuscum (Schimp.) Klinger. v sredney tayge Zapadnoy

Sibiri] // *Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma* (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016). Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 67–68.

12. Vishnyakova E.K., Sayb E.A., Lapshina E.D. Net primary production and decomposition of *Sphagnum fuscum* in middle taiga zone of Western Siberia [Chistaya pervichnaya produktsiya i razlozhenie *Sphagnum fuscum* (Schimp.) Klinger. v sredney tayge Zapadnoy Sibiri] // *Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma* (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016). Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 67–68.

Dendrochronology

1. Blanchet G. et al. Impacts of regional climatic fluctuations on radial growth of Siberian and Scots pine at Mukhrino mire (central-western Siberia) [Vozdeystvie regional'nykh klimaticheskikh kolebaniy na radial'nyy prirost drevesiny kedra i sosny v bolote Mukhrino (tsestral'naya chast' Zapadnoy Sibiri)] // *Science of The Total Environment*. 2017. V. 574. P. 1209–1216.
2. Edvardsson J. et al. Subfossil peatland trees as proxies for Holocene palaeohydrology and palaeoclimate [Pogrebennyye torfyanye derev'ya dlya rekonstruktsii paleogidrologii i paleoklimata v Golotsene] // *Earth-Science Reviews*. 2016. V. 163. P. 118–140.
3. Voltas J. Has synchronicity in tree performance increased during the last century in arctic biomes? Testing for continent-wide dendroecological imprints under global warming [Sushchestvuet li uvelichenie v sinkhronnosti rosta derev'ev v poslednee stolentie v Arkticheskom biome? Testirovanie dendroekologicheskogo imprinta v usloviyakh izmeneniya klimata]. INTERACT TA project report, 2014.

Zoology, entomology, ornithology

1. Davidian E.M., Gavrilyuk A.V. An annotated check-list of Aphidiid-wasp fauna (Hymenoptera, Aphidiidae) of Western Siberia [Annotirovannyi spisok vidov fauny os (Hymenoptera, Aphidiidae) v Zapadnoy Sibiri] // *Entomol. Rev.* 2014. V. 94. № 6. P. 892–913.
2. Duinen G.-J. van. Changes in the invertebrate community along natural and anthropogenic gradients in mires [Izmeneniya soobshchestva bespozvonochnykh v svyazi s estestvennym i antropogennym gradientom v bolotakh]. INTERACT TA project report, 2012a.
3. Van Oosten H., Emtsev A.A. Putative Segregation of Two Yellow Wagtail Taxa by Breeding Habitat in Western Siberia: Possible Implications for *Motacilla flava* Taxonomy [Predpolagaemaya segregatsiya dvukh taksonov zheltoy tryasoguzki cherez razdelenie uchastkov razmnozheniya v Zapadnoy Sibiri: vozmozhnoe primeneniye dlya taksonomii vida] // *Ardea*. 2013. V. 101. № 1. P. 65–70.

Dissolved and volatile organic carbon (DOC & VOC)

1. Andersen R. Dissolved and volatile organic carbon compounds generated by arctic peatland: Arctic Research blog [Rastvorennyy i letuchiy uglerod v Arkticheskikh bolotakh: blog o polevoy rabote] // URL: <https://arcticresearch.wordpress.com/category/blogs-from-the-field/davoccap-dissolved-and-volatile-organic-carbon-compounds-generated-by-arctic-peatlands/page/3>, 2012.
2. Andersen R. Dissolved And Volatile Organic Carbon Compounds generated by Arctic Peatlands: the DAVOCCAP project [Rastvorennyy i letuchiy organicheskiy uglerod v Arkticheskikh bolotakh]. INTERACT TA project report, 2014.
3. Bragazza L. Effect of vegetation cover on dissolved organic carbon in peatlands [Vliyanie rastitel'nogo pokrova na rastvorennyy organicheskiy uglerod v torfyanykh bolotakh]. INTERACT TA project report, 2014.

GHG emissions

1. Glagolev M. et al. Methane emissions from West Siberian mud volcanoes: observations near Khanty-Mansiysk [Emissiya metana iz gryazevykh sipov: nablyudeniya v rayone Khanty-Mansiyska] // AGU Fall Meeting Abstracts. 2011b. V. 1. P. 0826.
2. Glagolev M. et al. Regional methane emission from West Siberia mire landscapes [Regional'naya emissiya metana iz torfyanykh bolot v Zapadnoy Sibiri] // Environ. Res. Lett. 2011. V. 6. № 4. P. 045214.
3. Glagolev M.V. et al. Carbonaceous greengouse gases flux from West Siberia wetland ecosystems [Izuchenie potokov uglerodsoderzhashchikh parnikovyykh gazov v bolotnykh ekosistemakh Zapadnoy Sibiri] // Vestnik TGPU. 2010. V. 3. № 93. P. 120–127.
4. Kleptsova I.E. et al. Methane emission from middle taiga ridges and ryams of Western Siberia [Emissiya metana iz ryamov i gryad sredney taygi Zapadnoy Sibiri] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 1. P. 63–72.
Oshkin I. Methan emission from mud seeps in Khanty-Mansi autonomous okrug and methanotrophic bacterial communities: master thesis [Emissiya metana iz «gryazevykh vulkanchikov» Khanty-Mansiyskogo AO i okislyayushchie ego metanotrofnye bakterii: diplomnaya rabota] // M., 2011. 60 p.
5. Mammarella I. Greenhouse gas exchange in boreal wetland and freshwater ecosystems: a multi-scale approach [Krugovorot parikovyykh gazov v ekosistemakh boreal'nykh bolot i presnovodnykh ekosistem]. INTERACT TA project report, 2014.
6. Pärn J. et al. Global Boundary Lines of N₂O and CH₄ Emission in Peatlands [Global'nche pogranchnye linii emissii metana i dioksida azota v torfyanykh bolotakh] // The Role of Natural and Constructed Wetlands in Nutrient Cycling and Retention on the Landscape. Springer International Publishing, 2015. P. 87–102.
7. Payne R. The forested-to-open bog ecotone in naturally and artificially forested peatlands [Ekoton mezhdu zalesennym i otkrytym bolotom v estestvennykh i iskusstvenno sozdannykh torfyanykh bolotakh]. INTERACT TA project report, 2014.
8. Sabrekov A.F. et al. Methane emission from oligotrophic hollows in middle taiga zone of West Siberia [Emissiya metana iz oligotrofnykh mochazhin sredney taygi Zapadnoy Sibiri] // Vestnik Tomskogo gosudarstvennogo pedagogicheskogo universiteta. 2011. № 5.
9. Sabrekov A.F. et al. Methane emissions from north and middle taiga mires of Western Siberia: Bc8 standard model [Emissiya metana v bolotakh sredney i severnoy taygi Zapadnoy Sibiri: standartnaya model' Bc8] // Moscow Univ. Soil Sci. Bull. 2012. V. 67. № 1. P. 45–53.
10. Sabrekov A.F. On a correlation between diurnal pattern of the methane mixing ration above the mire surface and the diffusion coefficient [O svyazi sutochnoy dinamiki kontsentratsii metana nad bolotom s koeffitsientom diffuzii] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 2. P. 1–10.
11. Sabrekov A.F., Glagolev M.V. Methane emission measurements from Russian soils: investigations at stationary sites [Izmereniya emissii metana iz pochv Rossii: statsionarnye issledovaniya] // Bolota i Biosfera: Materialy VIII Vserossiyskoy s mezhdunarodnym uchastiem nauchnoy shkoly (10-15 sentyabrya 2012). Tomsk: Iz-vo TGPU, 2012. P. 245–250.
12. Shnyrev N.A. Monitoring and gas exchange at the boundary between soil and atmosphere (methan emission in middle taiga zone of Western Siberia, Mukhrino field station: PhD thesis [Rezhimnye nablyudeniya i otsenka gazoobmena na granitse pochvy i atmosfery (na primere potokov metana bolotnogo statsionara sredne-taizhnoy zony Zapadnoy Sibiri «Mukhrino»): diss. ... kand. biol. nauk.] // M., 2016. 184 p.
13. Shnyrev N.A., Smagin A.V. To calculation of methane fluxes by profile distribution in snow cover [K metodike rascheta potokov metana po profil'nykh raspredeleniyam v snegovom pokrove] // Materialy chetvertogo mezhdunarodnogo polevogo simpoziuma «Zapadno-Sibirskiy torfyaniki i tsikl ugleroda: proshloe i nastoyashchee, Novosibirsk, 4-17 Avgusta 2014 g. Novosibirsk: Tomsk university press, 2014. P. 137.
14. Smagin A.V. Kinetic assessment of gas exchange between the soil and the atmosphere by the static chamber method [Otsenka kinetiki gazoobmena mezhdu pochvoy i atmosferoy ispol'zuya metod statsionarnykh kamer] // Eurasian Soil Sc. 2015. V. 48. № 7. P. 719–725.
15. Smagin A.V., Shnyrev N.A. Emissiya i diffuziya metana v snezhnom pokrove bolot // Vestnik Altayskogo gosudarstvennogo agrarnogo universiteta. 2014. V. 8. № 118. P. 45–49.

16. Smagin A.V., Shnyrev N.A. Methan emission and siffusionin snow cover of bogs [Emissiya i diffuziya metana v snezhnom pokrove bolot] // Vestnik Altayskogo gosudarstvennogo agrarnogo universiteta. 2014. № 8 (118). P. 45–49.
17. Smagin A.V., Shnyrev N.A. Methane fluxes during the cold season: distribution and mass transfer in the snow cover of bogs [Potoki metana v zimniy period: raspredelenie i perenos mass v snezhnom pokrove bolot] // Eurasian Soil Sc. 2015. V. 48. № 8. P. 823–830.
18. Terentieva I.E. et al. Mapping of West Siberian taiga wetland complexes using Landsat imagery: implications for methane emissions [Kartirovanie Zapadno-Sibirskikh bolot v taezhnoy zone ispol'zuya Landsat: primeneniye dlya otsenki potokov metana] // Biogeosciences. 2016. V. 13. № 16. P. 4615–4626.
19. Terentyeva I.E. et al. High resolution wetland mapping in West Siberian taiga zone for methane emission inventory [Kartirovanie bolot vysokogo razresheniya v taezhnoy zone Zapadnoy Sibiri dlya otsenki potokov metana] // Biogeosciences Discuss. 2015. V. 12. P. 20149–20178.

Hydrology

1. Bleuten W., Filippov I.V. Hydrology of mire ecosystems in central West Siberia: the Mukhrino Field Station [Gidrologiya bolotnykh ekosistem tsentral'noy chasti Zapadnoy Sibiri: polevaya stantsiya «Mukhrino»] // Environmental dynamics and global climate change. 2008. V. S1. P. 208–224.
2. Zarov E.A., Schmitz O., Bleuten W. Development of a high resolution modeling tool for prediction of waterflows through complex mires: Example of the Mukhrino bog complex in West Siberian middle Taiga Zone [Razrabotka modeli vysokogo razresheniya kak instrumenta dlya predskazaniya vodotokov s kompleksnykh bolot: na primere bolota Mukhrino v zone sredney taygi Zapadnoy Sibiri] // Geophysical Research Abstracts. 2015. V. 17.

Mycology and microbiology

1. Belova S.E. et al. Methanotrophic bacteria in cold seeps of the floodplains of northern rivers [Metanotrofnye bakterii kholodnykh sipov v poymakh severnykh rek] // Microbiology. 2013. V. 82. № 6. P. 743–750.
2. 10.Filippova N.V., Thormann M.N. Communities of larger fungi of ombrotrophic bogs in West Siberia [Soobshchestva makromitsetov verkhovykh bolot v Zapadnoy Sibiri] // Mires and Peat. 2014. V. 14. P. 1–22.
3. 11.Filippova N.V., Thormann M.N. The fungal consortium of Andromeda polifolia in bog habitats [Gribnoy konsortsiy na Andromede mnogolistnoy v bolotnykh mestoobitaniyakh] // Mires and Peat. 2015b. V. 16. № 6. P. 1–29.
4. Filippova N.V., Zmitrovich I.V. Wood decay community of raised bogs in West Siberia [Soobshchestva gribov na drevesine verkhovykh bolot (Zapadnaya Sibir')] // Environmental dynamics and global climate change. 2013. V. 4. № 7. P. 1–16.
5. Filippova N.V., Zvyagina E.A., Bulyonkova T.M. Ascocoryne turficola (Boud.) Korf records from West Siberia [Nakhodka Ascocoryne turficola (Boud.) Korf v Zapadnoy Sibiri] // Fungi. 2013. V. 6. № 3. P. 26–30.
6. Francez A.-J. Viral and Bacterial Communities and Interactions in Western Siberian Sphagnum-peatlands [Virusnye i bakterial'nye soobshchestva i ikh vzaimodeystviya v Zapadno-Sibirskikh sfagnovykh bolotakh]. INTERACT TA project report, 2014.
7. Justo A. et al. Molecular phylogeny and phylogeography of Holarctic species of *Pluteus* section *Pluteus* (Agaricales: Pluteaceae), with description of twelve new species [Molekulyarnaya filogeniya i filogeografiya Golarkticheskikh vidov Plyuteya (Agaricales: Pluteaceae) s opisaniem dvennadtsati novykh vidov] // Phytotaxa. 2014. V. 180. № 1. P. 1–85.
8. Lindemann U. et al. *Micropeziza curvatispora* sp. nov., *M. fenniae* sp. nov. and *M. zottoi* sp. nov. (Helotiales) – three new species of the genus *Micropeziza* from Western Siberia, Finland, Germany and Belgium [*Micropeziza curvatispora* sp. nov., *M. fenniae* sp. nov. and *M. zottoi* sp. nov. (Helotiales) – tri novykh vida iz roda Mikropetsitsa opisannye iz Zapadnoy Sibiri, Finlyandii, Germanii i Bel'gii] // Ascomycete.org. 2014. V. 6. № 5. P. 113–124.
9. Oshkin I.Y. et al. Gammaproteobacterial Methanotrophs Dominate Cold Methane Seeps in Floodplains of West Siberian Rivers [Gammaproteobakterial'nye metanotrofy dominiruyut v gryazevykh metanovykh sipakh poym rek Zapadnoy Sibiri] // Appl. Environ. Microbiol. 2014. V. 80. № 19. P. 5944–5954.

10. Shcherbakov A.V. et al. Endophytica bacteria associated with Sphagnum mosses: ecological diversity and application for agricultural microbiology [Endofitnye bakterii na Sfagnovykh mkhakh: ekologicheskoe raznoobranie i primenenie v sel'skokhozyaystvennoy mikrobiologii] // Moss: Classification, development and growth and functional role in ecosystems. Nova Science Publishers, Inc., 2014. P. 87–110.
11. Kachalkin A.V. Yeas communities of Sphagnum bogs: PhD thesis [Drozhzhevye soobshchestva sfagnovykh mkhov : disc. ... kand. biol. nauk] // M., 2010. 179 p.
12. Filippova N.V. Discomycetes from plant, leaf and sphagnum litter in ombrotrophic bog (West Siberia) [Diskomitsety rastitel'nogo opada verkhovykh bolot (Zapadnaya Sibir')] // Environmental dynamics and global climate change. 2012. V. 3. № 1. P. EDCCrar0003.
13. Lapshina E.D., Koneva V.A. Lichens of Western Siberia (within the borders of Khanty-Mansiysk autonomous okrug) [Lishayniki taezhnoy zony Zapadnoy Sibiri (v predelakh Khanty-Mansiyskogo avtonomnogo okruga)] // Bioraznoobrazie ekosistem kraynego severa: inventarizatsiya, monitoring, okhrana. Materialy Vserossiyskoy konferentsii (Syktyvkar, 3-7 iyunya 2013 g.) 2013 g. 2013. P. 219–221.
14. Lapshina E.D., Koneva V.A. Species diversity of ground lichens in the raised bog vegetation of the Irtysh left-bank terraces [Vidovoe raznoobrazie napochvennykh lishaynikov v rastitel'nom pokrove verkhovykh bolot levoberezhnykh terras nizhnego Irtysha] // Dinamika okruzhayushchey sredy i global'nye izmeneniya klimata. 2010. V. 1. № 1. P. 1–6.
15. Oshkin I. Methan emission from mud seeps in Khanty-Mansi autonomous okrug and methanotrophic bacterial communities: master thesis [Emissiya metana iz «gryazevykh vulkanchikov» Khanty-Mansiyskogo AO i okislyayushchie ego metanotrofnye bakterii: diplomnaya rabota] // M., 2011. 60 p.
16. Stavishenko I.V. Ksilotrofnye bazidiomitsety Ob'-Irtyshskogo levoberezh'ya [Xylotrophic basidiomycetes of Ob-Irtysh left bank area] // Vestnik Udmurtskogo universiteta. Seriya «Biologiya. Nauki o Zemle». 2016. V. 26. № 1. P. 71–78.
17. Filippova N.V. Fungal communities of raised bogs in middle taiga zone of Western Siberia: PhD thesis [Soobshchestva gribov verkhovykh bolot sredney taygi Zapadnoy Sibiri. diss. ... kand. biol. nauk.] // Khanty-Mansiysk, 2015. 143 p.
18. Filippova N.V. On the communities of fungi of raised bogs in taiga belt of West Siberia. I. Macrofungi [Izuchenie soobshchestv gribov verkhovykh bolot taezhnoy zony Zapadnoy Sibiri. I. Makromitsety] // Mikologiya i fitopatologiya. 2014. V. 48. № 6. P. 386–392.
19. Filippova N.V., Lapshina E.D. Voucher collection of fungi in YSU: value and basics of functioning [Kollektsiya vauchernykh obraztsov gribov YuGU: znachenie i osnovy funktsionirovaniya] // Biologicheskie kollektzii Yugry: sbor, fiksatsiya, khranenie, vvedenie v nauchnyy oborot. Materialy nauchno-metodicheskogo seminaru v Muzei Prirody i Cheloveka. Khanty-Mansiysk, 2016. P. 73–85.
20. Filippova N.V., Lapshina E.D. Rol' mikologicheskogo gerbariya v izuchenii mikoflory bolot Zapadnoy Sibiri [Importance of mycological herbarium for study of fungi diversity of peat bogs of West Siberia] // Zapadno-Sibirskie torfyaniki i tsikl ugleroda: proshloe i nastoyashchee. Novosibirsk: Izd-vo NGU, 2011. P. 81–83.
21. Shcherbakov A.V. Endophytic communities of sphagnum mosses as a source of bacteria being effective associates of crops: PhD thesis [Endofitnye soobshchestva sfagnovykh mkhov kak istochnik bakteriy - effektivnykh assotsiantov sel'skokhozyaystvennykh kul'tur: avtoref. diss. ... kand. biol. nauk.] // M., 2014. 23 p.
22. Filippova N.V. The fungal community in bogs as determined using direct observation method [Soobshchestva gribov verkhovykh bolot v ramkakh metoda pryamogo nablyudeniya] // Mires of Northern Europe: biodiversity, dynamics, management. International Symposium (Russia, Petrozavodsk, September, 2-5). Abstracts. 2015. P. 86–87.
23. Filippova N.V., Bulyonkova T., Lapshina E.D. Fleishy fungi forays in the vicinities of the YSU Mukhrino field station (Western Siberia) [Marshrutnye issledovaniya makromitsetov v okrestnostyakh stacionara Mukhrino YuGU (Zapadnaya Sibir')] // Environmental dynamics and global climate change. 2015. V. 6. № 1 (11). P. 3–31.
24. Filippova N.V., Bulyonkova T., Lindemann U. New records of two pyrophilous ascomycetes from Siberia: *Pyropyxis rubra* and *Rhodotarzetta rosea* [Novye nakhodki dvukh vidov pirofil'nykh askomitsetov *Pyropyxis rubra* i *Rhodotarzetta rosea* v Sibiri] // Ascomycete.org. 2016. V. 8. № 4. P. 119–126.

25. Filippova N.V., Bulyonkova T.M. Fungarium of Yugra State University [Fungariy Yugorskogo gosudarstvennogo universiteta] // Biologicheskie kolleksii Yugry: sbor, fiksatsiya, khranenie, vvedenie v nauchnyy oborot. Materialy nauchno-metodicheskogo seminara v Muzei Prirody i Cheloveka. Khanty-Mansiysk, 2016. P. 90–98.
26. Filippova N.V., Bulyonkova T.M. Notes on the ecology of *Ascocoryne turficola* (Ascomycota: Helotiales) in West Siberia [K ekologii Askokorine torfyanoy (Ascomycota: Helotiales) v Zapadnoy Sibiri] // Environmental dynamics and global climate change. 2013. V. 4. № 8. P. 1–6.
27. Filippova N.V., Mourgues A., Philippe F. Notes on the phenology of fungi in ombrotrophic bog [Fenologicheskie nablyudeniya za gribami verkhovykh bolot] // Environmental dynamics and global climate change. 2014. V. 5. № 1. P. 1–14.
28. Filippova N.V., Thormann M. On the phenology of fungi in raised bogs: first year permanent plots monitoring results [Fenologiya gribov verkhovykh bolot: itogi pervogo goda nablyudeniya] // Bioraznoobrazie i ekologiya gribov i gribopodobnykh organizmov Severnoy Evrazii: materialy vseros. konf. s mezhdunarod. uchastiem. Ekaterinburg, 20-24 aprelya 2015 g. 2015a. P. 302–306.

Physico-chemical peat properties

1. Dudkin D.V. et al. The influence of botanical composition and decomposition degree on the yield of humic acids from peat [Vliyanie botanicheskogo sostava i stepeni razlozheniya torfa na vykhod guminovykh kislot] // Vestnik Yugorskogo gosudarstvennogo universiteta. 2014. V. 3. № 34. P. 32–37.
2. Dudkin D.V., Zarov E.A., Zmanovskaya A.S. The influence of botanical species and the degree of peat decomposition on the structure of humic acids, obtained by the mechanochemical method [Vliyanie botanicheskogo sostava i stepeni razlozheniya torfa na sostav guminovykh kislot, poluchennykh mekhanokhimicheskim sposobom] // Khimiya rastitel'nogo syr'ya. 2016. V. 2. P. 109–116.
3. Foereid B. et al. Photo-expose affects subsequent peat decomposition [Effekt fotoekspozitsii na razlozhenie torfa] // Proceedings of the fourth international field symposium West Siberian Peatlands and Carbon Cycle: Past and Present, Novosibirsk, August 4-17, 2014. 2014.
4. Foereid B. Photodegradation in peat decomposition [Fotodegradatsiya v razlozhenii torfa]. INTERACT TA project description, 2013.
5. Kul'kov M.G., Zarov E.A., Filippov I.V. The identification of oil pollution criteria in organogenic sediments by chromat-mass-spectrometry [Vyyavlenie kriteriev neftezagryaznennosti organogennykh donnykh otlozheniy metodom khromato-mass-spektrometrii] // Vodnye resursy. 2017. V. 44. № 2. P. 191–200.
6. Latysh I.M. The influence of photoexposition of peat on its organic matter group composition [Vliyanie solnechnoy radiatsii na gruppovoy khimicheskoy sostav torfa] // Materialy XI Nauchno-prakticheskoy konferentsii imeni A.A. Dunina-Gorkavicha – lesovoda i kraevedy Yugry, 10 aprelya 2015, Khanty-Mansiysk. Khanty-Mansiysk, 2015.
7. Osnitskiy E.M. et al. Botanical and chemical composition of humic acids in peat column from Mukhrino field station (Khanty-Mansi autonomous okrug) [Botanicheskiy i khimicheskoy sostav guminovykh kislot stratigraficheskoy torfyanoy kolonki polevogo stacionara Mukhrino Khanty-Mansiyskogo rayona] // Vestnik nauchnykh konferentsiy. 2016. V. 2–5. P. 94–99.
8. Osnitskiy E.M., Zarov E.A., Mendeleev D.A. The results of the thermal analysis of humic acids in peat column in Khanty-Mansi Autonomous Okrug-Yugra [Rezultaty termicheskogo analiza guminovykh kislot torfov stratigraficheskoy torfyanoy kolonki Khanty-Mansiyskogo avtonomnogo okruga – Yugry] // Vestnik nauchnykh konferentsiy. 2016. V. 4–5. P. 158–161.
9. Sartakov M.P. et al. Measuring the number of spins of humic acids in peat using Electron paramagnetic resonance-spectrometer [Izmerenie chisla spinov guminovykh kislot torfov Khanty-Mansiyskogo AO-Yugry na EPR-spektrometre, odnositel'no nitroksil'nogo radikal-standarta k chislu spinov po absolute spins] // Vestnik nauchnykh konferentsiy. 2016. V. 2–5. P. 109–111.
10. Sartakov M.P. et al. The thermal stability comparative analysis of humic acids in the sphagnum peat of the Western Siberia Taiga Zone raised bogs [Sravnitel'nyy analiz termal'noy stabil'nosti guminovykh kislot v sfagnovykh torfakh verkhovykh bolot taizhnoy zony Zapadnoy Sibiri] // Research Journal of Pharmaceutical, Biological and Chemical Sciences. 2016. V. 7. № 5. P. 1311–1320.

11. Stepanova V.A. Macroelement composition of peat in raised bogs of Western Siberia: PhD thesis [Osobennosti makroelementnogo khimicheskogo sostava pochv verkhovykh bolot sredney taygi Zapadnoy Sibiri: aftoref. diss. ... kand. biol. nauk] // N., 2012. 24 p.
12. Stepanova V.A., Pokrovskiy O.S. Macroelement composition of peat of raised bogs in the middle taiga zone of Western Siberia (Mukhrino bog) [Makroelementnyy sostav torfa vypuklykh verkhovykh bolot sredney taygi Zapadnoy Sibiri (na primere bolotnogo kompleksa «Mukhrino»)] // Vestnik Tomskogo gosudarstvennogo universiteta. 2011. № 352.

Stratigraphy of peat

1. Szajdak L.W. et al. Physical, chemical and biochemical properties of Western Siberia Sphagnum and Carex peat soils [Fizicheskie, khimicheski i biokhimicheskie svoystva sfanovykh i osokovykh torfov Zapadnoy Sibiri] // Environmental dynamics and global climate change. 2016. V. 7. № 2 (14). P. 13–25.
2. Szajdak L.W. Impact of Arctic zone on the chemical and biochemical processes, conversions and transformations in peat layers [Vliyanie Arkticheskoy zony na khimicheskie i biokhimicheskie protsessy, izmeneniya i transformatsii v torfyanoy zalezhi], 2012.
3. Szajdak L.W. Peat - unstable raw material // Ekologiya vodno-bolotnykh ugid' i torfovishch (zbornik nauchnykh statey), 2014. P. 12–15.
4. Zarov E.A. Basic physico-chemical properties of peat and their dependence on the botanical composition and moisture condition (Mukhrino bog, Khanty-Mansiysk autonomous okrug) [Osnovnye fiziko-khimicheskie svoystva torfa i ikh zavisimost' ot botanicheskogo sostava i usloviy uvlazhneniya (na primere torfov bolotnogo massiva «Mukhrino», KhMAO-Yugra)] // Desyatoe Sibirskoe Soveshchanie po klimato-ekologicheskomu monitoringu. Materialy Vserossiyskoy konferentsii. Tomsk: IMKES, 2013. P. 215–216.
5. Zarov E.A. Bulk density of Sphagnum peat of raised bogs in taiga zone of Western Siberia [Ob"emnaya plotnost' sfagnovoy derniny verkhovykh bolot taezhnoy zony Zapadnoy Sibiri] // Biologiya sfagnovykh mkhov: Materialy chetvertogo mezhdunarodnogo simpoziuma (Khanty-Mansiysk, Sankt-Peterburg, 28 iyulya – 11 avgusta, 2016). Tomsk: Izd-vo Tom. gos. un-ta, 2016. P. 69–70.
6. Zarov E.A. Element composition of peatland soils and botanical composition of peat [Kharakteristika elementnogo sostava bolotnykh pochv i vzaimosvyaz' s botanicheskim sostavom torfa] // II Kovalevskie molodezhnye chteniya «Pochva kak bazovyy komponent nazemnykh ekosistem». Novosibirsk: izdatel'stvo «Okarina», 2013. P. 67–70.
7. Zarov E.A. Peat types of raised bogs and their physico-chemical properties (Mukhrino bog, Khanty-Mansi autonomous okrug-Yugra) [Vidy torfa verkhovykh bolot i ikh fiziko-khimicheskie svoystva (na primere bolotnogo massiva Mukhrino, KhMAO-Yugra)] // Sbornik tezisov I regional'noy molodezhnoy konferentsii im. V.I. Shpil'mana «Problemy ratsional'nogo prirodopol'zovaniya i istoriya geologicheskogo poiska v Zapadnoy Sibiri». Khanty-Mansiysk: Redaktsionno-izdatel'skiy otdel AU «Institut razvitiya obrazovaniya», 2013. P. 118–121.
8. Zarov E.A. The relationship between ash content, botanical composition of peat and alluvial processes in eutrophic peatlands of Ob floodplain [Vzaimosvyaz' pokazatelya zol'nosti poymennykh nizinykh bolot s botanicheskim sostavom torfa i allyuvial'nymi protsessami] // Sbornik tezisov II regional'noy molodezhnoy konferentsii im. V. I. Shpil'mana «Problemy ratsional'nogo prirodopol'zovaniya i istoriya geologicheskogo poiska v Zapadnoy Sibiri». Khanty-Mansiysk: OOO «Yugorskiy format», 2014.
9. Amon L. Postglacial palaeoclimatic and -botanical dynamics at the tundra-taiga border-zone of West Siberia, Russia [Dinamika rastitel'nosti i paleoklimata v poslednykh na granitse tundry i taygi v Zapadnoy Sibiri]. INTERACT TA project report, 2014.
10. Fialkiewicz-Kozielec B. et al. Anthropogenic- and natural sources of dust in peatland during the Anthropocene [Antropogennyye i prirodnyye istochniki pyli v torfyanokh bolotakh v techenie Antropogena] // Sci Rep. 2016. V. 6.
11. Kul'kov M.G., Zarov E.A., Filippov I.V. The identification of oil pollution criteria in organogenic sediments by chromatography-mass spectrometry [Vyyavlenie kriteriev neftezagryaznennosti organogennykh donnykh otlozheniy metodom khromato-mass-spektrometrii] // Vodnye resursy. 2017. V. 44. № 2. P. 191–200.
12. Lamentowicz M. et al. Combining short-term manipulative experiments with long-term paleoecological investigations at high resolution to assess the response of Sphagnum peatlands to

- drought, fire and warming [Sovmestnoe ispol'zovanie kratkosrochnykh eksperimentov s dolgosrochnymi paleoekologicheskimi issledovaniyami dlya otsenki otklika sfagnovykh bolot na osushenie, poteplenie i pozhary] // Mires and Peat. 2016. V. 18.
13. Lamentowicz M. et al. Hydrological dynamics and fire history of the last 1300 years in western Siberia reconstructed from a high-resolution, ombrotrophic peat archive [Gidrologicheskaya dinamika i istoriya pozharov poslednikh 1300 let v Zapadnoy Sibiri, rekonstruktsiya po torfyanoy kolonke vysokogo razresheniya] // Quaternary Research. 2015. V. 84. № 3. P. 312–325.
 14. Lamentowicz M. et al. Hydrological dynamics, fire history and carbon accumulation in the last millennium in Western Siberia reconstructed from a high resolution ombrotrophic peat archive [Dinamika gidrologii, istorii pozharov i nakopleniya ugleroda poslednego tesyacheletiya v Zapadnoy Sibiri, rekonstruktsiya po stratigraficheskoy kolonke torfa vysokogo razresheniya] // AGU Fall Meeting Abstracts. 2014.
 15. Orlov T.V. et al. Using georadar & remote sensing methods and mathematical modelling in the study of peat deposits for solving geo-ecological problems [Ispol'zovanie georadarnykh i distantsionnykh metodov i matematicheskogo modelirovaniya pri izuchenii torfyanykh otlozheniy dlya resheniya geoekologicheskikh zadach] // Sergeevskie chteniya. Inzhenernaya geologiya i geoekologiya. Fundamental'nye problemy i prikladnye zadachi Yubileynaya konferentsiya, posvyashchennaya 25-letiyu obrazovaniya IGE RAN. M.: RUDN, 2016. P. 679–683.